## STAINLESS STEEL AISI 304 PRESSURE SPRAYERS



ADVANCED FLUID MANAGEMENT SOLUTIONS





Suitable for spraying cleaning liquids, disinfectants and similar products. Filled with liquid for 3/4 of its capacity and pressurized with 6 - 8 bar air, it works autonomously without requiring to be continuously connected to the compressed air line.



## **STAINLESS STEEL AISI 304 PRESSURE SPRAYERS**

## Technical data



P/N	23030
Surface treatment	Polished stainless steel
Tank capacity	24 I
Fluids	cleaning liquids, disinfectants, chemicals and similar
Delivery hose length	10 m
Maximum working pressure	8 bar
Spray gun length	0,6 m
Safety valve	8 bar
Level indicator	si
Spray gun	24810
Spray nozzle	110° stainless steel fan - ø 1,1 mm
Anti-splash funnel	24891
Packing N° - m³	1 - 0,090
Weight	12,8 kg
Dimensions (A - B - C)	28 - 33 - 92 cm



Aggressive liquids (such as acid solutions) can be used as long as they are compatible with the materials that are part of the item and after approval by the RAASM technical office.



Do not use flammable liquids.

## **Equipped with:**

- AISI 304 stainless steel tank with electrolyte polishing treatment.
- Aisi 316 stainless steel fittings level indicator.
- AISI 316 stainless steel tap.
- AISI 316 stainless steel case pressure gauge.
- AISI 304 stainless steel handle with technopolymer knob
- Stainless steel spray gun 600 mm with technopolymer handle, stainless steel interior components and Viton seals with 110° Stainless steel fan nozzle
  - ø 1.1 mm, 50 mesh stainless steel filter.
- Rilsan 12x10 spiral hose length 10 m.
- Polypropylene anti-splash funnel.



Complete kit with nozzles in technopolymers upon request.

**RAASM** S.p.A.

36022 S. ZENO DI CASSOLA (VI) Via Marangoni, 33 - ITALY

Export department

Tel. +39 0424 571130 - Fax +39 0424 571135 Technical department Tel. +39 0424 571150 - Fax +39 0424 571155









